

2020
PRODUCT
CATALOGUE

2020
PRODUCT
CATALOGUE



UNIQUE BRINGS
THE QUALITY
YOU DESERVE TO
WHEREVER YOU
CALL HOME.

TABLE OF CONTENTS

About Us	03
Propane Refrigerators	05
Propane Freezers	10
Direct Vent (DV) System Information	12
CO Monitor with Safety Shut-Off	13
Propane Ranges	15
Solar Powered DC Refrigerators	21
Basic Solar Setup	22
Solar Powered DC Freezers	27
Matched Pair Promotion	30
RV/Truck/Camping Portable AC/DC Freezers	31
Classic Retro Appliances	37
Convection Gas Ranges	43
Cooktops	50
Accessories	52

INFO TAGS

These tags will help you quickly identify the basic function of a Unique appliance at a first glance:



PROPANE



SOLAR DC



AC POWER



WHO WE ARE

Unique Appliances was founded with a vision 50+ years ago by the Petersen family "Our goal was to bring innovative, quality appliances to wherever you called home" says Steve Petersen, Unique's CEO.

Initially the bias was off-grid, Unique modernized the off-grid kitchen with battery ignition propane ranges and solar DC appliances, all with modern design. Unique still is the only off-grid manufacturer to offer matched pairs of propane fridges and ranges in North America.

Unique's many innovations include refrigerators that directly vent all combustible gases externally (and those that don't feature a fail-safe carbon monoxide safety shut-off valve). "Unique also developed the first battery operated ignition system in ranges (no standing pilots). This saves fuel and is better for the environment."

"The evolution of our line of DC solar powered appliances is a testament to how much we are invested in forwarding off-grid appliance technology" says Petersen. Beginning our journey with a few refrigerators, Unique has developed an extensive lineup of solar DC appliances. Highly efficient, eco-friendly and stylishly designed, our solar lineup has something for everyone.

Besides being the leaders in the off-grid market, Unique has also advanced within the conventional appliance market with a broad line-up of convection gas ranges and Retro bottom-mount refrigerators. We now have a vast assortment of sizes, colours and styles to choose from, to complement any kitchen. Our compact convection gas ranges are not only sleek and modern on the outside but come with features that aren't typically found in gas ranges of that size without breaking the bank. In addition to our line of modern convection gas ranges, Unique also brings to market in 2020 our new line of stylish Retro matched pairs of appliances (gas range and bottom-mount refrigerator). Beautifully designed with chrome trims, accents and decals, these appliances will transport you back to the 50's with their nostalgic look.

We are proud of how Unique has evolved over the decades. Whether it be our ever-expanding line of conventional appliances or our specialty line of "off-grid" appliances, Unique continues to evolve.

Steve Petersen
CEO/2nd Generation

Kurt Petersen
Founder

UNIQUE
APPLIANCES



PROPANE FRIDGES & FREEZERS

KEEPING FOOD FRESH HAS NEVER BEEN EASIER



UNIQUE PROPANE REFRIGERATORS

18.2 cu/ft - 515 litres Propane Fridge
UGP-18 S/S

COLOURS:



white stainless



Unique is the dominant player in the North American propane refrigerator business. With over 50 years of experience, Unique provides "peace of mind". From the small Unique 3 propane portable fridge to the largest certified propane fridge in the world, the Unique 22, Unique is your "one-stop shop" for all your propane refrigeration needs.

If you're looking for extended stays at the cottage/cabin, then Unique's line of larger propane fridges allow just that. Efficient & ergonomically designed to suit all your needs.

FEATURES:

- Thermostat
- Front mounted controls
- Flame indicator
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- CM: Free-venting model comes with CO alarming device with Safety Shut-Off
- DV: Direct Vent model has "DV" designation & must be located on an outside wall



UGP-22 W



UGP-10C B

CONTROLS

Convenient front mounted controls



IMAGE		
MODEL (shown)	UGP-22 W	UGP-18 S/S
COLOUR	White	White, stainless
OPERATION	Propane (LPG)	Propane (LPG)
SIZE	Total: 22.1 cu/ft, 625 litres Fridge: 16.2 cu/ft. / 458 litres Freezer: 5.9 cu/ft. / 167 litres	Total: 18.2 cu/ft, 515 litres Fridge: 13.8 cu/ft. / 391 litres Freezer: 4.4 cu/ft. / 124 litres
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 10" / right: 2" / back: 1"	(From front) left: 2" / top: 10" / right: 2" / back: 1"
DIMENSIONS: (H x W x D)	CM unboxed: 69.5" x 31.5" x 38.75" DV unboxed: 69.5" x 31.5" x 42.75"	CM unboxed: 65.5" x 30" x 36.5" DV unboxed: 66.25" x 30" x 38.5"
GAS CONSUMPTION	Approx. 2.0 lbs. LPG in 24 hr. period	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	2270 max., 684 min.	1600 max., 700 min.
AC POWER	No	No
DC POWER	No	No
IGNITION	Piezo igniter	Piezo igniter
INTERIOR LIGHT	Yes	Yes
SHELVES	3 glass shelves	3 glass shelves
CRISPER	2 crisper drawers	2 crisper drawers
REVERSIBLE DOOR	Yes	Yes
WEIGHT	CM: 300 lbs / 136 kg DV: 320 lbs / 145 kg	CM: 270 lbs / 123 kg DV: 290 lbs / 132 kg
WARRANTY	1 year parts, 5 year cooling coil, no labour	1 year parts, 5 year cooling coil, no labour



PROPANE REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com




IMAGE	SPRING 2020		
MODEL (shown)	UGP-14 W	UGP-10C S/S	UGP-8C B
COLOUR	White, black	White, black, stainless	White, black
OPERATION	Dual power (propane (LPG) - 110V backup)	Dual power (propane (LPG) - 110V backup)	Dual power (propane (LPG) - 110V backup)
SIZE	Total: 14 cu/ft, 400 litres Fridge: 10.5 cu/ft. / 301 litres Freezer: 3.5 cu/ft. / 99 litres	Total: 9.7 cu/ft, 275 litres Fridge: 7.6 cu/ft. / 215 litres Freezer: 2.1 cu/ft. / 60 litres	Total: 8.0 cu/ft, 227 litres Fridge: 6.3 cu/ft. / 179 litres Freezer: 1.7 cu/ft. / 48 litres
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 2" / top: 6" / right: 2" / back: 1"
DIMENSIONS: (H x W x D)	CM unboxed: 69.3" x 27.2" x 30.7" DV unboxed: 71.3" x 27.2" x 34"	CM unboxed: 64.5" x 23.5" x 28.25" DV unboxed: 65.5" x 23.75" x 33.25"	CM unboxed: 64.5" x 23.5" x 25.25" DV unboxed: 65.5" x 23.75" x 29.25"
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period	Approx. 1.4 lbs. LPG in 24 hr. period	Approx. 1.1 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.	1600 max., 600 min.	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts	110V, 2.5 Amp., 300 Watts	110V, 2.5 Amp., 300 Watts
DC POWER	No	No	No
IGNITION	Battery powered	Battery powered	Battery powered
INTERIOR LIGHT	Yes	Yes	Yes
SHELVES	4 glass shelves	4 glass shelves	4 glass shelves
CRISPER	Wire crisper basket	1 large crisper drawer	1 large crisper drawer
REVERSIBLE DOOR	Yes	Yes	Yes
WEIGHT	CM: 231 lbs / 105 kg DV: 251 lbs / 114 kg	CM: 176 lbs / 80 kg DV: 196 lbs / 89 kg	CM: 172 lbs / 78 kg DV: 192 lbs / 87 kg
WARRANTY	1 year parts, 3 year cooling coil, no labour	1 year parts, 3 year cooling coil, no labour	1 year parts, 3 year cooling coil, no labour



PROPANE REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com



IMAGE		
MODEL (shown)	UGP-6C W	UGP-3 W
COLOUR	White, black	White, black
OPERATION	Dual power (propane (LPG) - 110V backup)	Propane (LPG) - backup 110V / 12V
SIZE	Total: 6.4 cu/ft, 181 litres Fridge: 4.9 cu/ft. / 139 litres Freezer: 1.5 cu/ft. / 42 litres	Total: 3.4 cu/ft, 96 litres Fridge: 3.0 cu/ft. / 85 litres Freezer: 0.4 cu/ft. / 11 litres
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 1" / top: 4" / right: 1" / back: 1"
DIMENSIONS: (H x W x D)	CM unboxed: 57.75" x 23.75" x 25.25" DV unboxed: 58.75" x 23.75" x 29.75"	Unboxed: 32.25" x 21.25" x 25"
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.	850 max., 525 min.
AC POWER	110V, 2.5 Amp., 300 Watts	110V, 1.45 Amp., 150 Watts
DC POWER	No	12V, 13.3 Amp., 150 Watts
IGNITION	Battery powered	Battery powered
INTERIOR LIGHT	Yes	No
SHELVES	3 glass shelves	3 wire shelves
CRISPER	1 large crisper drawer	1 crisper
REVERSIBLE DOOR	Yes	Yes
WEIGHT	CM: 152 lbs / 69 kg DV: 165 lbs / 75 kg	80 lbs / 36.5 kg
WARRANTY	1 year parts, 3 year cooling coil, no labour	1 year parts, 3 year cooling coil, no labour



UNIQUE PROPANE FREEZERS




6.0 cu/ft (169 litres)
propane freezer - UGP-6F



2.2 cu/ft (61 litres)
propane freezer - UGP-2

COLOURS:



**All images shown are for marketing purpose only. Actual product may vary depending on model*



UGP-6F

STORAGE
Multiple baskets for convenient storage of food



UGP-6F

CONTROLS
Convenient front mounted controls



IMAGE		
MODEL (shown)	UGP-6F W	UGP-2
COLOUR	White	Grey
SIZE	Total: 6.0 cu/ft, 169 litres	Total: 2.2 cu/ft, 61 litres
OPERATION	Propane (LPG) / 110V (dual power)	Propane (LPG) - backup 110V / 12V
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 27" / right: 2" / back: 4"	(From front) left: 2" / top: 16" / right: 2" / back: 4"
DIMENSIONS: (H x W x D)	CM unboxed: 33" x 40.5" x 29"	Unboxed: 26.5" x 25.75" x 20"
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	1800 max., 1200 min.	1000 max., 500 min.
AC POWER	110V, 2.5 Amp., 300 Watts	110V, 1.45 Amp., 160 Watts
DC POWER	No	12V, 13.3 Amp., 160 Watts
WEIGHT	165 lbs / 75 kg	82 lbs / 37 kg
WARRANTY	1 year parts, 3 year cooling coil, no labour	1 year parts, 3 year cooling coil, no labour

**All images shown are for marketing purpose only. Actual product may vary depending on model*



UGP-2

CONTROLS
Side mounted controls



UGP-2

CONNECTORS
The UGP-2 & UGP-3 come with all connectors - 110V, gas hose & regulators & 12V adaptor



UNIQUE'S PATENT PENDING DIRECT VENTING SYSTEM ('DV' MODEL)

Not A Kit - Easy to Install!

INSULATED

Exhaust insulated to reduce condensate

EASE OF ASSEMBLY


To save you time, Unique's factory built system takes under 30 minutes to assemble

SAFETY FIRST

Unique leads the way through:

- Innovation
- Safety
- Product awareness

* Unique first to develop free-standing direct vent propane refrigerators in 1991



DV models must be located on an outside/exterior wall

Visit our **You Tube** page for the Do's & Don'ts when installing your Unique DV system

UNIQUE'S 5TH GENERATION PROPANE FRIDGE CARBON MONOXIDE ALARM WITH SAFETY SHUT-OFF (BATTERY POWERED)



COLOURS:



white

Propane fridge carbon monoxide alarm with safety shut-off - UGP-9RV-SSO-C

FEATURES:

- Designed and CSA approved to Z21.19 items unique to Canada for use with Unique propane refrigerators
- 7 year life span lithium iron disulfide battery included - no more annual replacement of 9V batteries
- Adhesive Velcro mounting strips for easy mounting
- Self-diagnostics determine end of life
- Alarm point 10% COOHb

**All images shown are for marketing purpose only. Actual product may vary depending on model*



UGP-9RV-SSO-C

INCLUDED

All items shown above come with your unit

Unique's 5th generation Carbon Monoxide Alarm with Safety Shut-Off is designed and CSA approved to Z21.19 items unique to Canada for use with Unique propane refrigerators. With features like an integrated battery which is maintenance free for 7 years (no need to replace), improved sensor performance creating less false alarms and more consistent performance and improved electronic performance in high humidity/ high temperature applications, this truly is a new and improved alarm system!

WHATS INCLUDED:


MODEL (shown)	UGP-9RV-SSO-C
INTERRUPTER BLOCK	Yes
CO ALARMING DEVICE	Yes
ADHESIVE VELCRO MOUNTING STRIPS	x 4
WALL MOUNTING BRACKET	Yes
OWNERS MANUAL	Yes
WARRANTY	1 year parts, no labour



UGP-9RV-SSO-C

SETUP

Place on your Unique appliance for optimal results



PROPANE RANGES

OFF-GRID COOKING NEVER LOOKED THIS GOOD



UNIQUE SIGNATURE BATTERY
IGNITION PROPANE RANGES

Signature



Signature 30" Propane Range
UGP-30 S/S

COLOURS:

stainless



*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-30 S/S

KNOBS
Pro-style knobs with easy to view settings



UGP-30 S/S

IGNITION
Battery operated ignition system (2 x 9V
batteries required for operation)



Unique's Signature stainless propane ranges offer elegant design, heavy duty cast-iron single surface cooktop and sealed burners! They have the features you expect in a top quality gas range, now beautifully developed for off-grid living. Unique's 9 V ignition system ensures efficiency and safety, with no standing pilot lights wasting fuel. A robust cast-iron single cooking surface and fully sealed burners make cooking and cleanup effortless.

Unique brings the home-cooking experience you deserve to wherever you call home!

FEATURES:

- High quality Italian-made Sabaf burners
- Sealed burner cooktop (easier to clean)
- Heavy-duty continuous cast iron grate design for safer movement of cookware
- Pro-style knobs for cooktop & oven
- Battery operated ignition system (2 x 9V batteries required for operation)
- Oven window



IMAGE		
MODEL (shown)	UGP-30 S/S	UGP-24 S/S
COLOUR	Stainless	Stainless
OPERATION	Set for propane (LPG) - A natural gas (NG) conversion kit is not included	Set for propane (LPG) - A natural gas (NG) conversion kit is not included
DIMENSIONS: (H x W x D)	Overall: 38" x 30" x 24" Oven: (3.8 cu.ft) 14" x 24" x 19" Broil area: 13" W x 13" D	Overall: 38" x 24" x 24" Oven: (2.9 cu.ft) 14" x 19" x 19" Broil area: 13" W x 13" D
BURNERS	4	4
BTU: cooktop (LPG & NG)	Front right: 11,000 Front left: 9,100 Rear right: 9,100 Rear left: 5,000	Front right: 11,000 Front left: 9,100 Rear right: 9,100 Rear left: 5,000
BOTTOM BROILER	Yes	Yes
WEIGHT	167 lbs / 76 kg	142 lbs / 65 kg
WARRANTY	1 year parts, no labour	1 year parts, no labour

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-30 S/S

DESIGN
Powerful performance paired with contemporary design



UGP-24 S/S

GRATES
Heavy-duty continuous cast iron grate design for safer movement of cookware



UNIQUE CLASSIC BATTERY
IGNITION PROPANE RANGES

Classic



Classic 30" Propane Range
UGP-30G OF1 W

COLOURS:



The Unique Classic line of off-grid ranges delivers modern design and performance at an affordable price. Cast-iron grates and sealed, variable BTU burners make cooking and cleanup effortless, and the battery ignition system means no more hunting for matches.

Unique brings the quality you deserve to wherever you call home!

FEATURES:

- Sleek modern design
- Cast iron grates
- Sealed cast burners for easy cleanup
- Variable BTUs to allow you to cook how you want
- Heavy duty handles
- Oven window
- Battery operated ignition system (1 x D-cell battery required for operation)



UGP-30G OF1 W

KNOBS
Modern ergonomically designed for cooktop & oven



UGP-30G OF1 B

IGNITION
Battery operated ignition system (1 x D-cell battery required for operation)



IMAGE			
MODEL (shown)	UGP-30G OF1 W	UGP-24G OF1 B	UGP-20G OF1 W
COLOUR	White, black	White, black	White, black
OPERATION	Set for propane (LPG) - A natural gas (NG) conversion kit is included	Set for propane (LPG) - A natural gas (NG) conversion kit is included	Set for propane (LPG) - A natural gas (NG) conversion kit is included
DIMENSIONS: (H x W x D)	Overall: 39.4" x 30" x 29.5" Oven: (3.9 cu.ft) 13.7" x 24.25" x 20.1" Broil area: 24" W x 22.5" D	Overall: 39.4" x 24" x 29.5" Oven: (3.1 cu.ft) 13.7" x 18.7" x 20.1" Broil area: 18.5" W x 20.9" D	Overall: 39.4" x 20" x 29.5" Oven: (2.4 cu.ft) 13.7" x 14.7" x 20.1" Broil area: 14.5" W x 20.9" D
BURNERS	4	4	4
BTU: cooktop (LPG & NG)	Front right: 10,000 Front left: 9,000 Rear right: 3,000 Rear left: 9,000	Front right: 11,000 Front left: 10,000 Rear right: 3,000 Rear left: 10,000	Front right: 9,000 Front left: 7,000 Rear right: 3,000 Rear left: 9,000
BOTTOM BROILER	Yes	Yes	Yes
WEIGHT	162 lbs / 73.5 kg	143 lbs / 65 kg	128 lbs / 58 kg
WARRANTY	1 year parts, no labour	1 year parts, no labour	1 year parts, no labour

**All images shown are for marketing purpose only. Actual product may vary depending on model*



UGP-30G OF1 W

DESIGN
Sleek modern design paired with all the features one would expect in a conventional gas range



UGP-30G OF1 B


BURNERS
Sealed cast burners for easy cleanup






SOLAR / WIND DC FRIDGES

THE NEXT GENERATION OF REFRIGERATION



BASIC SETUP FOR USING A UNIQUE SOLAR APPLIANCE

Below is an illustration of a basic solar setup using the Unique 13 cu/ft solar DC fridge (UGP-370L W).



IMPORTANT

Each application is different, consult a solar installer for specifics on your setup.



UNIQUE SOLAR POWERED DC REFRIGERATORS



13.0cu/ft (370 litres)
Solar Refrigerator - UGP-370L W

COLOURS:



*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-370L W

STORAGE

Multiple adjustable shelves for easy & convenient food organization & storage



UGP-370L W

CRISPER

Crisper drawers help keep your fruits & vegetables at their best for longer periods

Energy efficient appliances are essential to living the "off-grid" lifestyle, and now with Unique's line-up of solar DC appliances you can harness the power of the sun and wind.

The Unique line of solar DC powered refrigerators are designed for optimal energy savings and easy, dependable use. They boast the world's most reliable compact DC cooling system (Danfoss/Secop compressor), have efficient insulation throughout and simple effortless controls. With spacious interiors, shelves & crispers these fridges are perfect for your family's needs.




FEATURES:

- Efficient construction throughout
- Features an inline fuse for protection
- Thermostat
- Adjustable shelves
- Crisper drawers
- Interior LED light
- Operational error code warning system on most models
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)



SOLAR DC REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com

IMAGE			
		SPRING 2020	
MODEL (shown)	UGP-470L W	UGP-385L W	UGP-370L B
COLOUR	White	White	White, black
OPERATION	24V - only	12V/24V	12V/24V
SIZE	Total: 16.6 cu/ft, 470 litres	Total: 13.6 cu/ft, 385 litres	Total: 13.0 cu/ft, 370 litres
DIMENSIONS: (H x W x D)	Unboxed: 74.5" x 30.5" x 28.5"	Unboxed: 66.1" x 27.2" x 27.5"	Unboxed: 66.9" x 23.8" x 24.5"
TOTAL WATT HR. STABLE RUNNING (24 DC)	865 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	645 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	587 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	28 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	26.4 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	24 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
POWER CONSUMPTION	148 W on 24V	68.2 W on 12V/24V	62 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	300 W	240 W	240 W
AV. RUN CURRENT	6.2A on 24V	5.7A on 12V 2.8A on 24V	5.2A on 12V 2.6A on 24V
FRIDGE TEMP. RANGE	-2°C to +20°C	0°C to +8°C	-3°C to +10°C
FREEZER TEMP. RANGE	-25°C to +20°C	Upto -12°C	-15°C to +6°C
SHELVES	3 wire shelves	4 glass shelves	4 glass shelves
CRISPER	Wire crisper basket	Wire crisper basket	2 crisper drawers
ERROR CODE WARNING SYSTEM	No	Yes	Yes
REVERSIBLE DOOR	Yes	Yes	Yes
AC CONVERTOR	No	No	Sold separately
ELECTRICAL WIRE	3.5ft cut wire end included	8ft cut wire end included	8ft cut wire end included
WEIGHT	200 lbs / 90.7 kg	133 lbs / 60.5 kg	133 lbs / 60.5 kg
WARRANTY	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour



SOLAR DC REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com






IMAGE			
		<i>Retro</i>	
MODEL (shown)	UGP-290L S/S	UGP-275L W	UGP-260L W
COLOUR	White, black, stainless	White	White, black
OPERATION	12V/24V	12V/24V	12V/24V
SIZE	Total: 10.3 cu/ft, 290 litres	Total: 10 cu/ft, 275 litres	Total: 9.0 cu/ft, 260 litres
DIMENSIONS: (H x W x D)	Unboxed: 61" x 24" x 27"	Unboxed: 71.2" x 21.6" x 24.2"	Unboxed: 64" x 21.4" x 22.4"
TOTAL WATT HR. STABLE RUNNING (24 DC)	524 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	584 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	572 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	24 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	21.5 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	24 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
POWER CONSUMPTION	56 W on 12V	63 W on 12V/24V	56 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	240 W	240 W	240 W
AV. RUN CURRENT	4.5A on 12V	5.25A on 12V 2.62A on 24V	4.5A on 12V 2.5A on 24V
FRIDGE TEMP. RANGE	-2°C to +10°C	-4°C to +10°C	-4°C to +10°C
FREEZER TEMP. RANGE	-25°C to +20°C	-15°C to -6°C	-15°C to -6°C
SHELVES	4 glass shelves	4 glass shelves	4 glass shelves
CRISPER	1 crisper drawer	1 crisper drawer	1 crisper drawer
ERROR CODE WARNING SYSTEM	Yes	Yes	Yes
REVERSIBLE DOOR	Yes	No	Yes
AC CONVERTOR	No	Sold separately	Sold separately
ELECTRICAL WIRE	3.5ft cut wire end included	8ft cut wire end included	8ft cut wire end included
WEIGHT	137 lbs / 62 kg	119 lbs / 54 kg	93 lbs / 42 kg
WARRANTY	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour



IMAGE		
		
MODEL (shown)	UGP-170L W	UGP-108L W
COLOUR	White	White
OPERATION	12V/24V	12V/24V
SIZE	Total: 6.0 cu/ft, 170 litres	Total: 3.8 cu/ft, 108 litres
DIMENSIONS: (H x W x D)	Unboxed: 50.5" x 19.2" x 22.8"	Unboxed: 32.4" x 21.3" x 22.8"
TOTAL WATT HR. STABLE RUNNING (24 DC)	520 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	445 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	19.8 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	14.5 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)
POWER CONSUMPTION	52 W on 12V/24V	49 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	240 W	120 W / 160 W
AV. RUN CURRENT	4.3A on 12V 2.2A on 24V	4.1A on 12V 2.1A on 24V
FRIDGE TEMP. RANGE	-4°C to +10°C	-4°C to +10°C
FREEZER TEMP. RANGE	-15°C to -6°C	-15°C to -6°C
SHELVES	4 glass shelves	2 glass shelves
CRISPER	1 crisper drawer	1 crisper
ERROR CODE WARNING SYSTEM	Yes	Yes
REVERSIBLE DOOR	Yes	Yes
AC CONVERTOR	Sold separately	Sold separately
ELECTRICAL WIRE	8ft cut wire end included	8ft cut wire end included
WEIGHT	76 lbs / 34.5 kg	60 lbs / 27 kg
WARRANTY	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour



SOLAR / WIND DC FREEZERS

THE NEXT GENERATION OF COOLING



UNIQUE SOLAR POWERED
DC FREEZERS9.3cu/ft (265 litres)
Solar Chest Freezer - UGP-265L6.1 cu/ft (175 litres)
Solar DC Upright All
Freezer - UGP-175L UF R

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-265L



UGP-265L

GLASS SLIDERS & STORAGE

Glass sliders for added temperature retention
& adjustable baskets for convenient storage

CONTROLS

Front mounted controls

Energy efficient appliances are essential to living the "off grid" lifestyle, and now with Unique's collection of solar DC freezers you can harness the power of the sun and wind.

Unique solar DC powered freezers are designed for optimal energy savings and easy, dependable use. They boast the world's most reliable compact DC cooling system (Danfoss/Secop compressor), efficient insulation throughout, convenient storage baskets and simple effortless controls. Perfect for longer stays at the cottage/cabin or camp.

FEATURES:

- Efficient construction throughout
- Features an inline fuse for protection
- Thermostat
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Durable exterior construction
- Easy to clean interior with bottom drain



IMAGE		
MODEL (shown)	UGP-265L W	UGP-175L UF R Upright all freezer <i>Retro</i>
COLOUR	White	Red
OPERATION	12V/24V	12V/24V
SIZE	Total: 9.3 cu/ft, 265 litres	Total: 6.1 cu/ft, 175 litres
DIMENSIONS: (H x W x D)	Unboxed: 33.5" x 45.7" x 26.2"	Unboxed: 56.6" x 21" x 24"
TOTAL WATT HR. STABLE RUNNING (24 DC)	627 Wh/ 24 hrs (-16°C performance in a +25°C ambient)	532 Wh/ 24 hrs (-16°C performance in a +25°C ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	22.7 Ah/ 24 hrs (-16°C performance in a +25°C ambient)	17 Ah/ 24 hrs (-16°C performance in a +25°C ambient)
POWER CONSUMPTION	69 W on 12V/24V	58.8 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	240 W	240 W
AV. RUN CURRENT	5.75A on 12V 2.88A on 24V	4.9A on 12V 2.5A on 24V
FREEZER TEMP. RANGE	-18°C to +10°C	-25°C to -6°C
BASKET	2 wire baskets	6 drawers
GLASS LID	Yes	No
FRONT CONTROLS	Yes	Yes
ERROR CODE WARNING SYSTEM	Yes	Yes
AC CONVERTOR	Sold separately	Sold separately
ELECTRICAL WIRE	8ft cut wire end included	8ft cut wire end included
WEIGHT	119 lbs / 54 kg	102.5 lbs / 46.5 kg
WARRANTY	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour





BUNDLE PROMOTION

PURCHASE ANY **THREE** UNIQUE APPLIANCES AND EARN **\$250**
OR PURCHASE ANY **TWO** UNIQUE APPLIANCES AND EARN **\$100** CONSUMER MAIL-IN REBATE
 (ACCESSORIES NOT INCLUDED).



UGP-30 S/S
 Unique 30" Signature
 Propane Range

UGP-10C S/S
 Unique 10 cu. ft.
 Propane Fridge

Request further information
 from your local dealer about
 this special offer or visit our
 website for full details:

www.uniqueappliances.com

PORTABLE SOLAR AC/DC APPLIANCES

READY FOR ANY ADVENTURE



UNIQUE PORTABLE SOLAR AC/DC
POWERED FRIDGE/FREEZERS

Unique's AC/DC powered fridge/freezers are versatile, whether used in your vehicle, camp, cottage or your home. They keep your food fresh and your energy consumption low (world's most reliable DC cooling system). Equipped with a Bluetooth enabled APP for added control allows for individual compartment temperature control and customizable fridge/freezer combinations. Rugged construction and digital control panel make this system essential for off-grid life (deep cycle marine battery required for off-grid use.)



4.2 cu/ft (120 litres)
Portable Solar Fridge/Freezer
- UGP-120L1 W

COLOURS:



white



UGP-120L1 W / UGP-80L1 W / UGP-65L1 W / UGP-45L1 W

BASIC SETUP

Solar panel & battery not included

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-120L1 W



UGP-120L1 W / UGP-80L1 W / UGP-65L1 W

CONNECTORS & BAG

Includes all connectors - car DC connector, battery gator clips, AC/DC converter & protective insulated bag



IMAGE				
MODEL (shown)	UGP-120L1 W	UGP-80L1 W	UGP-65L1 W	UGP-45L1 W
COLOUR	White	White	White	White
OPERATION	110V/12V/24V	110V/12V/24V	110V/12V/24V	110V/12V/24V
SIZE	Total: 4.2 cu/ft, 120 litres	Total: 2.8 cu/ft, 80 litres	Total: 2.3 cu/ft, 65 litres	Total: 1.6 cu/ft, 45 litres
DIMENSIONS: (H x W x D)	Unboxed: 27.9" x 31.5" x 18.7"	Unboxed: 20.9" x 31.5" x 18.7"	Unboxed: 18.5" x 31.5" x 18.7"	Unboxed: 20.4" x 25.4" x 14.4"
BASKET 1.	11" x 8.4" x 13.9"	6.6" x 8.4" x 13.9"	4.75" x 8.4" x 13.9"	6.6" x 7.7" x 9.5"
BASKET 2.	22" x 8.4" x 13.9"	15.4" x 8.4" x 13.9"	13" x 8.4" x 13.9"	15.5" x 11.5" x 9.5"
BASKET 3.	13.5" x 8.4" x 13.9"	15.4" x 8.4" x 13.9"	13" x 8.4" x 13.9"	No
BASKET 4.	10.75" x 8.4" x 13.9"	No	No	No
TOTAL WATT HR. STABLE RUNNING (24 DC)	538 Wh/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	416 Wh/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	396 Wh/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	410 Wh/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)
TOTAL AMP HR. STABLE RUNNING (24 DC)	18.5 Ah/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	15.2 Ah/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	14.9 Ah/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)	17.4 Ah/24 hrs (lrg. side set to +5°C/Sm. side set to -13°C)
POWER CONSUMPTION	40 W	33 W	33 W	37 W
MIN. SOLAR PANEL REQ.	120 W / 100 W	100 W	100 W	100 W
AV. RUN CURRENT	3.3A on 12V 1.6A on 24V	2.7A on 12V	2.7A on 12V	3.1A on 12V
TEMP. RANGE	-22°C to +20°C (in ambient temperature between +1°C to +43°C)	-22°C to +20°C (in ambient temperature between +1°C to +43°C)	-22°C to +20°C (in ambient temperature between +1°C to +43°C)	-22°C to +20°C (in ambient temperature between +1°C to +43°C)
BLUETOOTH	Yes	Yes	Yes	Yes
USB PORTS	3 x 5V 2.1A	3 x 5V 2.1A	3 x 5V 2.1A	1 x 5V 2.1A
CONNECTORS	Included	Included	Included	Included
INSULATED BAG	Included	Included	Included	Sold separately
WEIGHT	77 lbs / 35 kg	64 lbs / 29 kg	59.5 lbs / 27 kg	47.4 lbs / 21.5 kg
WARRANTY	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour	1 year parts, 2 year compressor, no labour



UNIQUE PORTABLE
SOLAR PANEL KIT



COLOURS:



black

120W Portable Solar Panel Kit
- UGP-120WSPB




Portable and durable, Unique's portable 120 Watt solar panel kit is designed to keep your off-grid power supply charged and ready for anything. Perfect for use with the Unique 45L1 W, 65L1 W, 80L1 W or 120L1 W fridge/freezers (or other DC products) and to keep deep cycle marine batteries charged.

This folding solar panel features a durable case with a sturdy handle and fasteners for easy transport, and sturdy fold away aluminum brackets to allow for full-sun positioning. Comes with a 3 m (10 ft.) connecting cord.

FEATURES:

- Convenient carry bag
- Easy carry handle and safety fasteners
- Integrated waterproof Smart solar controller with LED indicators
- Folding support legs
- Connecting cables included
- Sturdy, portable aluminum construction
- Charge indicator for battery - 25,50,75 & 100%
- 10 m (32 ft.) power cord included



IMAGE

MODEL (shown)	UGP-120WSPB
OPERATION/ CONNECTIONS	Car DC connector, battery gator clips
SOLAR PANEL POWER	120 W, 18 V, 5.55 A
DIMENSIONS: (L x W x D)	Folded: 33" x 21.6" x 2.75" Unfolded: 53.1" x 33" x 1.37"
MAXIMUM POWER	120W (2x60W)
OPEN CIRCUIT VOLTAGE	22.5 V
SHORT CIRCUIT CURRENT	6.67 A
MAX. POWER VOLTAGE	18 V
MAX. POWER CURRENT	5.56 A
CONTROLLER	12 V // 24 V / 10 A
OPERATING TEMPERATURE	-40°C - 85°C
WEIGHT	24.25 lbs./11 kg
TYPE	Monocrystalline
WARRANTY	1 year parts, no labour



UGP-120WSPB

SMART CONTROLLER
Integrated Smart solar controller
with LED indicators

GO
WHEREVER
THE ROAD
TAKES YOU



RETRO NEVER LOOKED THIS GOOD



CLASSIC RETRO BY UNIQUE
BOTTOM MOUNT REFRIGERATOR



Unique's retro bottom mount refrigerator transports you back to the 50's with its iconic retro design and chrome finished accents. This refrigerator is ENERGY STAR Certified for energy efficiency all year-round, designed for optimal energy savings and easy, dependable use. Storing your fresh and frozen foods is easy with its convenient fridge on top and freezer on the bottom design. Convenient storage options and simple effortless controls all packed into a stylish retro design make this the perfect stand out unit for your home, cottage, man cave/bar.

FEATURES:

- Stylish retro design
- Bottom mount freezer
- Zinc cast handles
- 4 full width adjustable door shelves
- 4 adjustable glass shelves
- Adjustable 4 bottle wine rack
- Adjustable thermostat
- Deep crisper drawer for all your fresh produce
- 3 spacious freezer drawers
- ENERGY STAR Certified means this fridge exceeds federal guidelines for energy efficiency for year-round energy and money savings
- Doors are not reversible

COLOURS:

8.7 cu/ft - 246 litres Bottom Mount Retro Refrigerator - UGP-275L AC

*All images shown are for marketing purpose only. Actual product may vary depending on model



HANDLES & ACCENTS
Zinc cast handles and chrome finished trims transport you back to the 50's



STORAGE
Multiple deep storage drawers in the fridge and freezer



IMAGE			
MODEL (shown)	UGP-275L B AC	UGP-215L LG AC	UGP-175L R AC Upright all freezer
COLOUR	<ul style="list-style-type: none">● Midnight black○ Marshmallow white● Candy red● Summer mint green● Powder blue● Ocean mist turquoise	<ul style="list-style-type: none">● Midnight black○ Marshmallow white● Candy red● Summer mint green● Powder blue● Ocean mist turquoise	<ul style="list-style-type: none">● Candy red
SIZE	Total: 8.7 cu/ft, 246 litres	Total: 7 cu/ft, 198 litres	Total: 6.1 cu/ft, 175 litres
DIMENSIONS: (H x W x D)	Unboxed: 71.2" x 21.6" x 24.2"	Unboxed: 64" x 21.6" x 24.2"	Unboxed: 56.6" x 21" x 24"
OPERATION	AC/110 V	AC/110 V	AC/110 V
FREEZER DRAWERS	3	3	6
WINE RACK	Yes	Yes	No
CRIPSER	Yes	Yes	No
GLASS SHELVES	Yes	Yes	No
WEIGHT	119 lbs / 54 kg	112 lbs / 50.8 kg	102.5 lbs / 46.5 kg
WARRANTY	1 year parts & labour	1 year parts & labour	1 year parts & labour

*All images shown are for marketing purpose only. Actual product may vary depending on model



WINE RACK
Adjustable 4 bottle wine rack available in the bottom mount refrigerators



SHELVES
4 adjustable glass shelves provide ample storage space



CLASSIC RETRO BY UNIQUE
24" CONVECTION GAS RANGE
(ELECTRONIC IGNITION)



24" Convection gas range
UGP-24CR

COLOURS:



The 24" Classic Retro by Unique range transports you back to the 50's with its iconic retro design and chrome finished accents. Convection cooking circulates heat for incredibly even distribution while the waist high broiler provides the option of intense searing. Classic retro flair at a great price.

FEATURES:

- Stylish retro design
- Zinc cast handles
- Convection oven with waist-high broiler
- 11,000 BTU on largest burner
- High quality, sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Automatic electric spark ignition
- Oven light
- Practical storage drawer for pots and pans
- 2 adjustable heavy-duty oven racks with 4 shelf positions
- 2.9 cu.ft oven capacity



UGP-24CR B

HANDLES & ACCENTS

Zinc cast handles and chrome finished trims transport you back to the 50's



UGP-24CR B


CONVECTION

Convection gas range with waist high broiler



IMAGE		
MODEL (shown)	UGP-24CR B	DIMENSIONS: (H x W x D)
COLOUR	● Midnight black ○ Marshmallow white ● Summer mint green ● Ocean mist turquoise	Overall: 41.75" x 24" x 29.5" Oven: (2.9 cu.ft) 13.7" x 18.7" x 20.1" Drawer: 6.1" x 16.7" x 19.6"
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included	BURNERS
BROILER	Yes	4
WEIGHT	156.5 lbs / 71 kg	BTU: cooktop (NG & LPG)
		Front right: 11,000 Front left: 10,000 Rear right: 3,200 Rear left: 10,000
		WARRANTY
		1 year

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-24CR B

STORAGE

Practical storage drawers for pots and pans



UGP-24CR B

BURNERS

Sealed cast burners for easy cleanup





CONVECTION GAS RANGES

PERFORMANCE BEYOND YOUR EXPECTATIONS



UNIQUE ELITE CONVECTION
GAS RANGES (ELECTRONIC IGNITION)Elite 36" 6 Burner Gas Range
- UGP-36E6 ON1

Unique's Elite convection gas ranges are the epitome of elegant innovative design with solid durable long lasting construction. Italian made Sabaf burners, ranging in size from 18,000 BTUs down to fewer than 680 BTUs for delicate sauce simmering, provide you with a perfect blend of power and precision. An infrared broiler with a commercial quality convection fan, a robust cast iron cooking surface and fully sealed burners makes cooking and cleaning effortless! Burner relights automatically if blown out by wind or water boiling over.

FEATURES:

- High quality, Italian-made sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Convection cooking
- Automatic electric spark ignition. Burners relight automatically if blown out
- Heavy stainless steel construction
- Halogen lights
- Porcelain broil pan and tray included

COLOURS:




stainless



*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-36E6 ON1



UGP-36E6 ON1

BURNERS

Automatic electric spark ignition. Burners relight automatically if blown out

BROILER

Infrared (IR) waist high broiler for quick & uniform searing



IMAGE			RANGE HOOD
MODEL (shown)	UGP-36E6 ON1	UGP-30E ON1	UGP-30RH PL1
COLOUR	Stainless	Stainless	COLOUR: Stainless
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included	Set for natural gas (NG) - A propane (LPG) conversion kit is included	MOTORS: 2 ultra quiet electric motors
DIMENSIONS: (H x W x D)	Overall: 39.75" x 36" x 27.5" Oven: (4.5 cu.ft) 14.5" x 30" x 18"	Overall: 39.75" x 30" x 27.5" Oven: (3.8 cu.ft) 15.25" x 24" x 18"	DIMENSIONS (H x W x D): 10"H x 29.75"W x 22"D
BURNERS	6	4	CONTROLS: 3 speed power control
BTU: cooktop (NG & LPG)	Front center: 18,000 Front right: 15,000 (680 BTU simmer) Front left: 15,000 (680 BTU simmer) Rear center: 12,000 Rear right: 12,000 Rear left: 12,000	Front left: 18,000 Front right: 15,000 (680 BTU simmer) Rear right: 12,000 Rear left: 12,000	RATED POWER: 600 CFM
GRIDDLE	N/A	N/A	LIGHTS: 1.5W LED Lamps x 2
BROILER	16,500 BTU (IR)	13,000 BTU (tube)	CLEANING: 2 x dishwasher safe stainless steel baffle filters
U-SHAPE OVEN BURNER	22,000 BTU	22,000 BTU	DELAYED AUTO SHUT-OFF: 3 mins pre-set
WEIGHT	273 lbs / 123.8 kg	172 lbs / 78 kg	WEIGHT: 56 lbs / 25 kg
WARRANTY	1 year	1 year	WARRANTY: 1 year

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-30E ON1

KNOBS

Large pro-style knobs for cooktop & oven



UGP-36E6 ON1

GRATES

Continuous cast iron grate design for easy movement of cookware



UNIQUE PRESTIGE COMPACT
CONVECTION GAS RANGES
(ELECTRONIC IGNITION)

PRESTIGE



COLOURS:



stainless



white



black

Prestige 24" Convection Gas
Range - UGP-24V PC1 S/S



The Unique Prestige convection gas range delivers sleek modern design and superb performance at an affordable price. Convection cooking circulates heat for even distribution while the waist high broiler provides the option of intense searing. Cast-iron grates, sealed burners, automatic electric spark ignition and a compartment for extra storage for your pots and pans, all packed into a compact gas range, make cooking and cleaning effortless. Incredible performance and looks, at an incredible price!

FEATURES:

- Convection oven with waist-high broiler
- Cast iron grate design
- One large burner for quick boiling
- High quality sealed cast burners for easy clean up
- Automatic electric spark ignition
- Variable BTUs allow you to cook how you want
- Large window
- Practical storage drawer for pots and pans
- 2 adjustable heavy duty oven racks with 4 shelf positions
- Interior light



UGP-24V PC1 / UGP-20V PC1

CONVECTION

Convection Gas Range & waist high broiler



UGP-24V PC1 / UGP-20V PC1

KNOBS

Sleek modern knobs



IMAGE		
MODEL (shown)	UGP-24V PC1 B	UGP-20V PC1 W
COLOUR	Stainless, white, black	Stainless, white, black
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	Overall: 38.5" x 23.5" x 22.3" Oven: (2.3 cu.ft) 14" x 18.25" x 16" Drawer: 4.5" x 16" x 15"	Overall: 38.5" x 20" x 22.3" Oven: (1.6 cu.ft) 14" x 13.75" x 16" Drawer: 4.5" x 12.75" x 15"
BURNERS	4	4
BTU: cooktop (NG & LPG)	Rear right: 11,000 Front right: 2,700 Front left: 8,500 Rear left: 5,000	Rear right: 11,000 Front right: 2,700 Front left: 8,500 Rear left: 5,000
BROILER	Yes	Yes
WEIGHT	127.5 lbs / 57.8 kg	101.4 lbs / 46 kg
WARRANTY	1 year	1 year

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-24V PC1 / UGP-20V PC1

STORAGE

Practical storage drawers for pots and pans



UGP-24V PC1 / UGP-20V PC1

BURNERS

One large burner for quick boiling



UNIQUE CLASSIC PLUS COMPACT
CONVECTION GAS RANGES
(ELECTRONIC IGNITION)

Classic ^{Plus}



Classic Plus 24" Convection
Gas Range - UGP-24H CC1 W

COLOURS:



The Unique Classic Plus delivers modern design and performance at an affordable price. Convection cooking circulates heat for incredibly even distribution while the waist high broiler provides the option of intense searing. Cast-iron grates, sealed burners, automatic electric spark ignition and a compartment for extra storage for your pots and pans, all packed into a compact gas range, make cooking and cleaning effortless. All the benefits of gas cooking, for compact kitchens.

FEATURES:

- Convection oven with waist-high broiler
- Cast iron grate design
- One large burner for quick boiling
- High quality sealed cast burners for easy clean up
- Automatic electric spark ignition
- Variable BTUs allow you to cook how you want
- Large window
- Practical storage drawer for pots and pans
- 2 adjustable heavy duty oven racks with 4 shelf positions
- Interior light



UGP-24H CC1 / UGP-20H CC1

CONVECTION

Convection Gas Range & waist high broiler



UGP-24H CC1 / UGP-20H CC1

KNOBS

Sleek modern knobs



IMAGE		
MODEL (shown)	UGP-24H CC1 W	UGP-20H CC1 B
COLOUR	White, black	White, black
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	Overall: 39.4" x 24" x 29.5" Oven: (2.9 cu.ft) 13.7" x 18.7" x 20.1" Drawer: 6.1" x 16.7" x 19.6"	Overall: 39.4" x 20" x 29.5" Oven: (2.3 cu.ft) 13.7" x 14.7" x 20.1" Drawer: 6.1" x 12.7" x 19.6"
BURNERS	4	4
BTU: cooktop (NG & LPG)	Front right: 11,000 Front left: 10,000 Rear right: 3,200 Rear left: 10,000	Front right: 10,000 Front left: 7,000 Rear right: 3,200 Rear left: 10,000
BROILER	Yes	Yes
WEIGHT	156.5 lbs / 71 kg	138.9 lbs / 63 kg
WARRANTY	1 year	1 year

*All images shown are for marketing purpose only. Actual product may vary depending on model



UGP-24H CC1 / UGP-20H CC1

STORAGE

Practical storage drawers for pots and pans



UGP-24H CC1 / UGP-20H CC1

BURNERS

One large burner for quick boiling



UNIQUE ELECTRIC/BATTERY DUAL
IGNITION COOKTOPS



36" Gas Cooktop: UGP-36 CT1



30" Gas Cooktop: UGP-30 CT1



24" Gas Cooktop: UGP-24 CT1

COLOURS:



stainless



The Unique stainless cooktops & range-top marry elegant, space-saving design with impeccable cooking performance – all at a great price! Cast iron grates & Italian made Sabaf burners provide you with a perfect blend of power and precision. Dual function ignition system enables either city or off-grid capability.

Available in a variety of sizes, these appliances are perfect for your home kitchen, condo living, or the cottage/cabin.

FEATURES:

- Battery ignition / AC/DC plug-in – Can operate in the city or off-grid
- Italian-made Sabaf sealed burners
- Durable cast iron burner grates
- High quality stainless steel construction
- Certified for use with natural gas or propane (comes set for NG, LPG orifices are included)



KNOBS
Sleek modern knobs



DESIGN
Modern stainless steel construction



IMAGE			
MODEL (shown)	UGP-36 CT1	UGP-30 CT1	UGP-24 CT1
COLOUR	Stainless	Stainless	Stainless
OPERATION	Set for natural gas (NG) - Propane (LPG) conversion kit is included	Set for natural gas (NG) - Propane (LPG) conversion kit is included	Set for natural gas (NG) - Propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	Overall: 4.5" x 35.4" x 20"	Overall: 4.5" x 30" x 20"	Overall: 4.5" x 23.6" x 20"
BURNERS	5	5	4
BTU: cooktop (NG & LPG)	Center: 17,000 Front right: 10,200 Front left: 10,200 Rear right: 3,400 Rear left: 6,000	Center: 17,000 Front right: 10,200 Front left: 10,200 Rear right: 3,400 Rear left: 6,000	Front right: 17,000 Front left: 10,200 Rear right: 3,400 Rear left: 5,800
WEIGHT	40 lbs / 18.1 kg	34 lbs / 15.4 kg	27 lbs / 12.2 kg
WARRANTY	1 year	1 year	1 year

*All images shown are for marketing purpose only. Actual product may vary depending on model



BURNERS
High quality, Italian-made Sabaf sealed burners for easy clean-up



GRATES
Continuous cast iron grate design for easy movement of cookware





Reversible Cast Iron Griddle & Grill Plate
- UGP-GRD AC

REVERSIBLE CAST IRON GRIDDLE & GRILL PLATE

FEATURES:

- Reversible grill/griddle pan, flat on one side and ridged on the other

For use with the following models:
UGP-30E ON1 / UGP-36E ON1 / UGP-36E6 ON1
UGP-24G OF1 / UGP-30G OF1 / UGP-24H CC1
UGP-24CR



Mini Pot Holder
- UGP-MPH AC

MINI POT HOLDER

FEATURES:

- Heavy-duty cast-iron construction for optional heat retention and even heat distribution

For use with the following models:
UGP-20G OF1 / UGP-24G OF1 / UGP-30G OF1
UGP-20H CC1 / UGP-24H CC1 / UGP-24CR



45L Portable Protective Insulated
Bag - UGP-BCD45L COVER BAG

UNIQUE 1.6 CU/FT (45L) PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER PROTECTIVE INSULATED BAG

FEATURES:

- Protects from the elements and provides additional insulation for your Unique portable fridge/freezer

For use with the following model:
UGP-45L1 W

UNIQUE AC CONVERTOR

FEATURES:

Unique's AC convertor is designed to convert your power source from DC to AC if needed.

For use with the following models:

UGP-108L	UGP-175L UF R
UGP-170L	UGP-275L W
UGP-260L	UGP-265L
UGP-370L	



Unique AC Convertor
- UGP-BCD260JS-24V5A

CONTACT US

tf: 1-877-427-2266

tel: 905-827-6154

fax: 905-827-2027

Email: info@uniqueappliances.com



2245 Wyecroft Rd, Oakville,
Ontario, Canada L6L 5L7

www.uniqueappliances.com